

Farghalli A. Mohamed

Publications

Refereed Journal

1. F.A. Mohamed, K.L. Murty, and J.E. Dorn, "Effect of Vacancy Sinks and Sources on Serrated Yielding Due to Solute Locking," Scripta Metallurgica 5, 1087 (1971).
2. F.A. Mohamed, K.L. Murty, and J.E. Dorn, "On Kinetics of Ordering in Cu₃Au," Materials Science & Engineering 9, 183 (1972).
3. K.L. Murty, F.A. Mohamed, and J.E. Dorn, "Viscous Glide, Dislocation Climb and Newtonian Viscous Deformation Mechanisms During Creep in Al-3%Mg," Acta Metallurgica 20, 1009, (1972).
4. F.A. Mohamed, K.L. Murty, and J.W. Morris, "Harper-Dorn Creep in Aluminum, Lead and Tin," Metallurgical Transactions 4, 935, (1973).
5. T.G. Langdon, and F.A. Mohamed, "The Strain Dependence of Vacancy Creation and Dislocation Density During Serrated Yielding," Scripta Metallurgica 7, 1199 (1973).
6. F.A. Mohamed, K.L. Murty, and T.G. Langdon, "The Portevin-Le Chatelier Effect in Cu₃Au," Acta Metallurgica 22, 325 (1974).
7. F.A. Mohamed, T.G. Langdon, "The Transition from Dislocation Climb to Viscous Glide in Creep of Solid Solution Alloys," Acta Metallurgica 22, 779, (1974).
8. F.A. Mohamed, and T.G. Langdon, "Method of Estimating Stacking-Fault Energies in Alkali Halide Crystals Using Creep Data," J. Applied Physics 45-1965, (1974).
9. F.A. Mohamed, and T.G. Langdon, "Deformation Mechanism Maps Based on Grain Size," Metallurgical Transactions 5, 2339 (1974).
10. F.A. Mohamed, and T.G. Langdon, "Deformation Mechanism Maps for Solid Solution Alloys," Scripta Metallurgica 9, 137 (1975).
11. F.A. Mohamed, and T.G. Langdon, "Creep at Low Stresses Levels in the Superplastic An-22%Al Eutectoid," Acta Metallurgica 23, 117 (1975).
12. F.A. Mohamed, and T.G. Langdon, "Creep Behavior of Ni-W Solid Solutions," Metallurgical Transactions 6A, 927 (1975).
13. F.A. Mohamed, S.-A. Shei, and T.G. Langdon, "The Activation Energies Associated with Superplastic Flow," Acta Metallurgica 23, 1443 (1975).
14. F.A. Mohamed, and T.G. Langdon, "Creep Behavior in the Superplastic Pb-62%Sn Eutectoid," Philosophical Magazine 32, 697 (1975).
15. F.A. Mohamed, and T.G. Langdon, "Creep Behavior of Ceramic Solid-Solution Alloys," J. American Ceramic Society 58, 553 (1975).
16. H. Ishikawa, F.A. Mohamed, and T.G. Langdon, "The Influence of Strain Rate on Ductility in the Superplastic Zn-22%Al Eutectoid," Philosophical Magazine 32, 1269 (1975).
17. F.A. Mohamed, and T.G. Langdon, "Deformation Mechanism Maps: Their Use in Predicting Creep Behavior," J. Engineering Materials Technology 98, 125 (1976).
18. T.G. Langdon, and F.A. Mohamed, "Deformation Mechanism Maps of Ceramics," J. Materials Science 11, 317 (1976).
19. F.A. Mohamed, and T.G. Langdon, "The Determination of the Activation Energy for Superplastic Flow," Physica Status Solida 33, 375 (1976).
20. F.A. Mohamed, and T.G. Langdon, "Deformation Mechanism Maps for Superplastic Materials," Scripta Metallurgica 10, 759 (1976).
21. D.G. Bhat, H. Ishikawa, F.A. Mohamed, and T.G. Langdon, "Evidence for Cavitation in the Superplastic Zn-22%Al Eutectoid," Metallurgical Transactions 8A, 523 (1977).
22. F.A. Mohamed, M.I. Ahmed, and T.G. Langdon, "Factors Influencing Ductility in the Superplastic Zn-22%Al Eutectoid," Metallurgical Transactions 8A, 933 (1977).

23. F.A. Mohamed, and T.G. Langdon, "The Activation Energies for Superplasticity," Scripta Metallurgica 11, 575 (1977).
24. F.A. Mohamed, and Young Kyou Kim, "Creep Behavior of Au-Ni Solid Solutions," Scripta Metallurgica 11, 879 (1977).
25. T.G. Langdon, and F.A. Mohamed, "The Incorporation of Ambipolar Diffusion in Deformation Mechanism Maps for Ceramics," J. Materials Science 13., 473, (1978).
26. T.G. Langdon, and F.A. Mohamed, "New Type of Deformation Mechanism Map for High Temperature Creep," Materials Science Engineering 32, 103, (1978).
27. T.G. Langdon, and F.A. Mohamed, "A Simple Method of Constructing an Ashby Type Deformation Mechanism Map," J. Materials Science 13, 1282 (1978).
28. T.G. Langdon, and F.A. Mohamed, "The Characteristics of Independent and Sequential Creep Processes," J. Australian Institute of Metals 22, 189 (1978).
29. F.A. Mohamed, "Analysis of Creep Data on Aluminum at Very Low Stresses," Materials Science Engineering 32, 37 (1978).
30. F.A. Mohamed, "Creep Ductility in Large-Grained Solid Solution Alloys," Scripta Metallurgica 12, 99 (1978).
31. F.A. Mohamed, "Strengthening Mechanisms in Cu₃Au," Acta Metallurgica 26, 871, (1978).
32. F.A. Mohamed, "Evidence of Subgrain Formation in an Al-Mg Alloy at Low Stresses," Metallurgical Transactions 9A, 1013 (1978).
33. F.A. Mohamed, "Comment on Harper-Dorn Creep in Al Alloys," Metallurgical Transactions 9A, 1342 (1979).
34. F.A. Mohamed, "Modification of the Burke-Nix Ductility Expression," Scripta Metallurgica 13,87 (1979).
35. F.A. Mohamed, "Creep Behavior of Solid Solution Alloys," Materials Science & Engineering 38, 73 (1979).
36. F.A. Mohamed, "Analysis of Creep Data on Copper at Very Low Stresses," Materials Science & Engineering 40, 101 (1979).
37. D.A. Miller, F.A. Mohamed, and T.G. Langdon, "An Analysis of Cavitation Failure Incorporating Cavity Nucleation with Strain," Materials Science & Engineering 40, 159 (1979).
38. Mohamed M. Ahmed, F.A Mohamed, and T G Langdon, "Neck Formation and Cavitation in the Superplastic Zn-22%Al Eutectoid," J. Materials Science 14, 2913 (1979).
39. F.A. Mohamed, "Influence of Oxidation on Deformation Maps of Aluminum," Scripta Metallurgica 13, 1153 (1979).
40. F.A. Mohamed, "Influence of Oxidation on Creep Behavior of Aluminum," Materials Science Engineering,43, 211 (1980).
41. F.A. Mohamed, "On the Importance of the Threshold Stress for Deformation," J. Materials Science 15, 1061 (1980).
42. F.A. Mohamed, and T.G. Langdon, "Flow Localization and Neck Formation in a Superplastic Metal," Acta Metallurgica 29, 911 (1981).
43. P. Yavari, F.A. Mohamed, and T.G. Langdon, "Creep and Substructure Formation in an Al-5%M-Solid Solution Alloy," Acta Metallurgica 29, 1507 (1981).
44. F.A. Mohamed, "On the Work-Hardening Coefficient Of Cu₃Au," J. Materials Science 49, 289 (1981).
45. F.A. Mohamed, and T. Ginter, "On the Identification of Creep Processes at Low Stresses," J. Materials Science 16, 289 (1981).
46. F.A. Mohamed, and M. Soliman, "On the Creep Behavior of Uranium Dioxide," Materials Science Engineering 53, 1381 (1982).
47. F.A. Mohamed, "Effect of Threshold Stress Processes on Ductility," J. Materials Science 17, 1381 (1982).
48. F.A. Mohamed, and T.G. Langdon, "A Comparison of Constant Strain Rate and Creep Testing Procedures in Superplasticity," J. Materials Science 17, 1925 (1982).

49. T.J. Ginter, and F.A. Mohamed, "The Stress Dependence of Subgrain Size in Al," Materials Science 17, 2007 (1982).
50. M. Soliman, and F.A. Mohamed, "Correlation Between Creep Behavior and Substructure in Al-3%Mg Solid-Solution Alloy," Materials Science Engineering 55, III (1982).
51. F.A. Mohamed, and T. Ginter, "On The Nature and Origin of Harper-Dorn Creep," Acta Metallurgica 30, 1869 (1982).
52. F.A. Mohamed, "Interpretation of Superplastic Flow in Terms of a Threshold Stress," J. Materials Science 18, 582 (1983).
53. M. Soliman, and T. Ginter, F.A. Mohamed, "An Investigation of the Stress Exponent and Subgrain Size in Al After Stress Reduction," Philosophical Magazine 48, 63 (1983).
54. F.A. Mohamed, "Incorporation of Suzuki and Fisher Interaction in the Analysis of the Creep Behavior of Solid-Solution Alloys," Materials Science & Engineering 61, 149 (1983).
55. A. Goel, and T. Ginter, F.A. Mohamed, "Effect of Stress Reductions on the Stress Exponent and Subgrain Size in an Al-Zn Alloy," Metallurgical Transactions A, 14, 2309 (1983).
56. T. Ginter and M. Soliman, F.A. Mohamed, "Effect of Creep Substructure on the Stress Exponent of Al Following Stress Reductions," Philosophical Magazine 50, 9 (1984).
57. M. Soliman and F.A. Mohamed, "Creep Transition in an Al-Zn Alloy," Metallurgical Transaction A, 5, 1893 (1984).
58. M. Soliman and F.A. Mohamed, "Creep Curves of Al-Mg Alloys at Very Low Stresses," Materials Science & Engineering 68, 23 (1985).
59. F.A. Mohamed, M. Soliman, and M. Mostafa, "Effect of Stress Reduction Ratio on the Creep Behavior of Al," Philosophical Magazine 51, 559 (1985).
60. P. Koenig and F.A. Mohamed, "Ductility in Zn-22% Al above the Eutectoid Temperature," Materials Science & Engineering 72, 9 (1985).
61. M.S. Mostafa and F.A. Mohamed, "Correlation Between Creep Behavior and Ductility in Al-10%Zn," Metallurgical Transactions A 17, 365 (1986).
62. P. Chaudhury and F.A. Mohamed, "Creep and Ductility in an Al-Cu Solid Solution Alloy," Metallurgical Transactions 18A, 2105 (1987).
63. P. Chaudhury and F.A. Mohamed, "Effect of Impurity Content on Superplastic Flow in the Zn-22% Al Alloy," Acta Metallurgica 35, 1099 (1988).
64. F.A. Mohamed, "On the Threshold Stress for Superplastic Flow," J. Materials Science 7, 215, (1988).
65. P. Chaudhury and F.A. Mohamed, "Creep Characteristics of an Al-2% Cu Alloy in the Solid Solution Range," Materials Science & Engineering 101, 13 (1988).
66. P. Chaudhury and, F.A. Mohamed, "Superplastic Deformation Behavior in Commercial and High Purity Zn-22%Al," Metallurgical Transaction A (in press).
67. J. Marinkovich, E.J. Lavernia, J.R. Pickens and F.A. Mohamed, "Spray Atomization and Deposition Processing of Al-Cu-Li-Mg-Ag-Zr Alloys (Weldalite TM 049)," J. Metals 41, 37 (1989).
68. T. Srivatsan, E. Lavernia, and F.A. Mohamed, "Strength, Deformation, Fracture Behavior and Ductility of Aluminum-Lithium Alloy: A Review," J. Materials Science 25, 1137 (1990).
69. I. Ibrahim, F.A. Mohamed and E.J. Lavernia, "Particle Reinforced Metal Matrix Composites," J. Materials Science 26, 1137 (1991).
70. T.K. Park, E.J. Lavernia, and F.A. Mohamed, "Creep Behavior and Substructure in an Al-Li Alloy," Acta Metallurgica et Materialia 38, 1837 (1990).
71. E.J. Lavernia, F.A. Mohamed and T.S. Srivatsan, "The Influence of Oxides on Powder Metallurgy of Aluminum-Lithium-Copper Alloys," International Journal of Powder metallurgy 16, 321 (1990).
72. K.T. Park, E.J. Lavernia and F.A. Mohamed, "High Temperature Creep of Silicon Carbide Particulate Reinforced Aluminum," Acta Metallurgica et Materialia 38, 2149 (1990).

73. K.T. Park and F.A. Mohamed, "Effect of Impurity Content on Cavitation in the Superplastic Zn-22% Al Alloy," Metallurgical Transactions 21A, 2605 (1990).
74. M. Gupta, F.A. Mohamed and E.J. Lavernia, "Solidification Behavior of Al-Li-SiCp MMCs Processed Using Variable Co-Deposition of Multi-phase Materials," Materials and Manufacturing, Processes 5 (2), 165 (1990).
75. H.K. Kim, F.A. Mohamed and J.C. Earthman, "A Novel Specimen Geometry for Double Shear Creep Experiments," J. Testing and Evaluation 19, 93 (1991).
76. M. Gupta, E.J. Lavernia and F.A. Mohamed, "The Effects of Solidification Phenomena on the Distribution of SiC Particulates During Spray Atomization and Deposition," International Journal of Rapid Solidification, 25, 131 (1991).
77. M. Gupta, I.A. Ibrahim, F.A. Mohamed and E.J. Lavernia, "Wetting and Interfacial Reactions in Al-Li-SiCp MMCs Processed by Spray Atomization and Deposition," J. Materials Science, 26, 6673 (1991).
78. M. Gupta, F.A. Mohamed and E.J. Lavernia, "Heat Transfer Mechanisms and Their Effect on Microstructure During Spray Atomization and Co-Deposition of Metal Matrix Composites," Materials Science and Engineering, A144, 99 (1991).
79. T.S. Srivatsan, I. Ibrahim, F.A. Mohamed and E.J. Lavernia, "Processing Techniques for Particulate Reinforced Metal Matrix Composites," J. Materials Science, 26, 5963 (1991).
80. H.K. Kim, F.A. Mohamed and J.C. Earthman, "High Temperature Rupture of Microstructurally Unstable 304 Stainless Steel Under Uniaxial and Triaxial Stress States," Metallurgical Transactions, A22, 2629 (1991).
81. H.K. Kim and F.A. Mohamed, "Effect of Stress Reduction Ratio on the Creep Behavior of an Al-5 wt% Ag Alloy," Materials Science and Engineering, A147, 145 (1991).
82. F.A. Mohamed, K.T. Park and E.J. Lavernia, "Creep Behavior of Discontinuous SiC-Al Composites," Materials Science and Engineering, A150, 21 (1992).
83. T.S. Srivatsan, M. Gupta, F.A. Mohamed and E.J. Lavernia, "The Influence of Spray Atomization and Deposition Processing on the Microstructure of an Aluminum-Copper-Lithium Alloy," Aluminum, An International Journal, A150, 21 (1992).
84. M. Gupta, F.A. Mohamed, and E.J. Lavernia, "The Effects of Ceramic Reinforcements During Spray Atomization and Co-Deposition of Metal Matrix Composites, Part 1: Heat Transfer," Metallurgical Transactions, 23A 831 (1992).
85. M. Gupta, F.A. Mohamed, and E.J. Lavernia, "The Effect of Ceramic Reinforcements During Spray Atomization and Co-Deposition of Metal Matrix Composites, Part 11: Solid State Cooling Effects," Metallurgical Transactions, 23A, 845 (1992).
86. M. Gupta, F.A. Mohamed and E.J. Lavernia, "Solidification Characteristics of Atomized Al-Ti Powders," Scripta Metallurgica et Materialia, 26, 697 (1992).
87. M. Gupta, J. Juarez-Islas, W.E. Frazier, F.A. Mohamed, and E.J. Lavernia, "Microstructure, Excess Solid Solubility and Elevated Temperature Behavior of Spray Atomized and Co-Deposited Al-Ti-SiC," Metallurgical Transactions B, 23B, 719 (1992).
88. M. Gupta, T.S. Srivatsan, F.A. Mohamed and E.J. Lavernia, "Microstructural Evolution and Mechanical Properties of SiC/Al₂O₃ Particulate Reinforced Spray Deposited Metal Matrix Composites," Journal of Materials Science, 28, 2245 (1992).
89. K.T. Park and F.A. Mohamed, "Reply to Comment on Creep Behavior of Discontinuous SiC-Al Composites," Acta Metallurgica et Materialia, 30, 957 (1994).
90. K.T. Park, E.J. Lavernia and F.A. Mohamed, "High-Temperature Deformation of PM 6061 Al," Acta Metallurgica and Materialia, 42, 667 (1994).
91. S. Yan, J.C. Earthman, and F.A. Mohamed, "Effect of Cd on Superplastic Flow in the Pb-62% Sn Eutectic," Philosophical Magazine, A69, 1017 (1994).
92. K.T. Park, S. Yang, J.C. Earthman and F.A. Mohamed, "Effects of Impurities on Ductility and cavitation in Zn-22% Al," Materials Science and Engineering, A188, 59 (1994).
93. X. Jiang, J.C. Earthman and F.A. Mohamed, "Cavity Nucleation and Growth

- during Superplastic Deformation," Journal of Materials Science, 29, 5499 (1994).
94. K.T. Park, J.C. Earthman and F.A. Mohamed, "Effect of Post Solution Treatment on cavitation in Zn-22% Al," Philosophical Magazine, 70, 7 (1994).
 95. P. Chaudhury, K.T. Park and F.A. Mohamed, "Effect of Fe on the Superplastic Deformation of Zn-22% Al," Metallurgical and Materials Transactions, A25, 2391 (1994).
 96. S. Yan and F.A. Mohamed, "On the Characteristics of the Threshold Stress for Superplastic Flow in Zn-22% Al," Metallurgical and Materials Transactions, 26A, 493 (1995).
 97. P. Chaudhury and F.A. Mohamed, "Discussion of Effect of Fe on the Superplastic Deformation of Zn-22% Al," Metallurgical and Materials Transactions, 26A, 1600 (1995).
 98. W.D. Cai, Y. Li, R.J. Dowding, F.A. Mohamed and E.J. Lavernia, "A Review of Tungsten-Based Alloys as Kinetic Energy Penetrator Materials," Review in Particulate Materials, 3, 71 (1995).
 99. S. Yan, T.S. Srivatsan, E.J. Lavernia and F.A. Mohamed, "Influence of Spray Atomization and Deposition Processes on Microstructure and Mechanical Behavior of and Aluminum Alloy Metal Matrix Composite," Journal of Materials Science, 30, 4726 (1995).
 100. K.T. Park, S. Yan and F.A. Mohamed, "Boundary Sliding in High-Purity Pb-62% Sn," Philosophical Magazine A, 72, 891 (1995).
 101. K.T. Park and F.A. Mohamed, "Creep Strengthening Mechanisms in a Discontinuous SiC-Al Composite," Metallurgical and Materials Transactions A., 26a, 3119 (1995)
 102. X. Jiang, S. Yang, J. C. Earthman and F.A. Mohamed, "Effect of Fe on Ductility and Cavitation in Zn-22% Al," Metallurgical and Materials Transactions A, 27A, 863 (1996).
 103. A.A. El-Nasr, F.A. Mohamed and J.C. Earthman, "High-Temperature of an SiC Particulate Reinforced Al Composite Under Multiaxial Stress States," Materials Science and Engineering, A214, 33 (1996).
 104. Y. Li, S. R. Nutt and F. A. Mohamed, "An Investigation of Creep and Substructure Formation in 2124 Al," Acta Materialia, 45, 2607 (1997).
 105. Y. Li and F. A. Mohamed, "An Investigation of Creep Behavior an Si-2124 Al Composite," Acta Materialia, 45, 4775 (1997).
 106. F. A. Mohamed," On the Creep Strengthening of SiC Particulates in SiC-Al Composites," Metallurgical and Materials Transactions A, 28A, 2780 (1997).
 107. F. A. Mohamed, "On Creep Behavior in Powder Metallurgy 6061 Al," Scripta Materialia, 38, 457 (1998).
 108. F. A. Mohamed," Correlations Between Creep Behavior in Al-Based Solid-Solution Alloys and Powder Metallurgy Al Alloys," Materials Science and Engineering A, A245, 242 (1998).
 109. A. Yousefiani, J. C. Earthman, and F. A. Mohamed, "Formation of Cavity Stringers during Superplastic Deformation," Acta Materialia, 46, 3557 (1998).
 110. A. Yousefiani and F. A. Mohamed, " Superplastic Flow and Cavitation in Zn-22Pct Al Doped with Cu," Metallurgical and Materials Transactions A, 29A, 1653 (1998).
 111. K. Duong and F. A. Mohamed," Effect of Impurity Content on Boundary Sliding Behavior in the superplastic Zn-22% Al alloy," Acta Materialia, 46, 4571 (1998).
 112. A. Yousefiani and F. A. Mohamed, "Correlation between microstructure evolution and cavity stringer formation in Zn-22% Al," Philosophical Magazine A, 79, 1247, (1999).
 113. Z. Lin, E. J. Lavernia, and F. A. Mohamed, "High-Temperature Deformation in a Ta-W Alloy," Acta Materialia, 47, 1181 (1999).
 114. A. Yousefiani and F. A. Mohamed, "Correlation between Former Alpha Boundary Growth Kinetics and Superplastic Flow in Zn-22 Pct Al," Metallurgical and Materials Transactions A, 31A, 163 (2000).
 115. K. Duong and F. A. Mohamed," Effect of Cd on Boundary Sliding Behavior inPb-62 wt% Sn," Philosophical Magazine A, 80, 2721 (2000).

116. A. Yousefiani, F. A. Mohamed, and J. C. Earthman, "Creep Rupture Mechanisms in Annealed and Overheated 7075 Al under Multiaxial Stress States," Metallurgical and Materials Transactions A, 31A, 2807(2000).
117. *Moved to the Book Section.*
118. F. A. Mohamed and Y. Li, "Creep and Superplasticity in Nanocrystalline Materials: Current Understanding and Future Prospects," Materials Science and Engineering A, 298, 1 (2001).
119. K. Duong and F. A. Mohamed, "Effect of Impurity Type on Boundary Sliding Behavior in the superplastic Zn-22% Al alloy," Metallurgical and Materials Transactions A, 32A, 103 (2001).
120. T. J. Ginter, P. K. Chaudhury, and F. A. Mohamed, "An Investigation of Harper-Dorn Creep at Large Strains," Acta Materialia, 49, 263 (2001).
121. F. A. Mohamed, "The Role of Boundaries during Superplastic Deformation," Surface and Interface Analysis in Materials, 31, 532 (2001).
122. F. A. Mohamed, "Superplastic Flow and Cavitation," Materials Science Forum, 359, 83 (2001).
123. T. J. Ginter and F. A. Mohamed, "Evidence for Dynamic Recrystallization during Harper-Dorn Creep," Materials Science and Engineering A, 322, 148 (2002).
124. F. A. Mohamed, "The role of Impurities during Creep and Superplasticity at very Low Stresses," Metallurgical and Materials Transactions A, 33A, 261 (2002).
125. Z. Lin, Y. Li, and F. A. Mohamed, "Creep and microstructure in 5 vol.% SiC-2124 Al Composite," Materials Science and Engineering A, 332, 330 (2002).
126. Z. Lin and F. A. Mohamed, "Threshold Stress Creep Behavior in Ta," Philosophical Magazine A, 82, 1479 (2002).
127. F. A. Mohamed, "Creep Behavior of powder Metallurgy SiC-Al Composites," Advanced Engineering Materials, 4,651 (2002).
128. B. Q. Han, E. J. Lavernia, and F. A. Mohamed, "Mechanical Properties of Iron Processed by Severe Plastic Deformation," Metallurgical and Materials Transactions A, 34A, 71 (2003).
129. B.Q. Han, Z. Lee, S.R. Nutt, E.J. Lavernia, and F.A. Mohamed, "Mechanical Properties of An Ultrafine-Grained Al-7.5 Pct Mg Alloy," Metallurgical and Materials Transactions A, 34A, 603 (2003).
130. B.Q. Han, E.J. Lavernia, and F.A. Mohamed, "Tension and Compression behaviours of bulk ultrafine-grained Al-7.5 wt% Mg alloy," Philosophical Magazine Letters, 83, No. 2, 89 (2003).
131. F.A. Mohamed and Y. Xun, "Correlations between the minimum grain size produced by milling and material parameters," Materials Science and Engineering A, A354, 133 (2003).
132. Y. Xun and F.A. Mohamed, "Slip-accommodated superplastic flow in Zn-22wt% Al," Philosophical Magazine, 83, No. 19, 2247 (2003).
133. F.A. Mohamed, "A dislocation model for the minimum grain size obtainable by milling," Acta Materialia, 51,4107 (2003).
134. B.Q. Han, F.A. Mohamed, "Tensile behavior of bulk nanostructured and ultrafine grained aluminum alloys," Journal of Materials Science, 38, 3319 (2003).
135. B.Q. Han, F.A. Mohamed, and E.J. Lavernia, "On the mechanical behavior of a cryomilled Al-Ti-Cu alloy," Materials Science and Engineering A, A358, 318-23 (2003).
136. F.A. Mohamed, Yuwei Xun, "On the minimum grain size produced by milling Zn -22%Al," Materials Science & Engineering A, 358, 178 (2003).
137. Yuwei Xun, E.J. Lavernia, and F.A. Mohamed, "Synthesis of Nanocrystalline Zn-22 Pct Al Using Cryomilling," Metallurgical and Materials Transactions A, 35A, 573-581 (2004).
138. B.Q. Han, D. Matejczyk, F. Zhou, Z. Zhang, C. Bampton, E.J. Lavernia, and F.A. Mohamed, "Mechanical Behavior of a Cryomilled Nanostructured Al-7.5 pct Mg Alloy," Metallurgical and Materials Transactions A, 35A, 947-950 (2004).

139. B.Q. Han, E.J. Lavernia, and F.A. Mohamed, "Dislocation Structure and Deformation in Iron Processed by Equal-Channel-Angular Pressing," Metallurgical and Materials Transactions A, 35A, 1343-1350 (2004).
140. Yuwei Xun, E.J. Lavernia, and F.A. Mohamed, "Grain growth in nanocrystalline Zn- 22% Al," Materials Science and Engineering A, A371, 135 (2004).
141. Yuwei Xun and F.A. Mohamed, "Superplastic Behavior of Zn-22% Al containing nano-scale dispersion particles," Acta Materialia, 52, 4401(2004).
142. Zhigang Lin, S.L. Chan, and F.A. Mohamed, "Effect of nano-scale particles on the creep behavior of 2014 Al," Materials Science and Engineering A, 394, 103-111 (2004).
143. B.Q. Han, E.J. Lavernia, and F.A. Mohamed, "Mechanical Behavior of a Cryomilled Near-Nanostructured Al-Mg-Sc Alloy," Metallurgical and Materials Transactions A, 36A, 345-355 (2005).
144. B.Q. Han, E.J. Lavernia, and F.A. Mohamed, "Mechanical Properties of Nanostructured Materials," Rev. Adv. Mater. Sci., 9, 1-16 (2005).
145. Yuwei Xun and F.A. Mohamed, "Creep Behavior in a Discontinuous SiC-Zn-22% Al composite," Philosophical Magazine, 85, 2767 (2005).
146. B.Q. Han, F.A. Mohamed, C.C. Bampton, and E.J. Lavernia, "Improvement of Toughness and Ductility of a Cryomilled Al-Mg alloy via Microstructural Modification," Metallurgical and Materials Transactions A, 36A, 2081 (2005).
147. Yuwei Xun, R. Rodriguez. E.J. Lavernia, and F.A. Mohamed, "Processing and Microstructural Evolution of Powder Metallurgy Zn-22 PCT Al Eutectoid Alloy Containing Nano-Scale Dispersion Particles," Metallurgical and Materials Transactions A, 36A, 2849 (2005).
148. M. Chauhan, I. Roy, and F. A. Mohamed, "Creep Behavior in near-nanostructured Al 5083 Al," Materials Science and Engineering A, 410, 24 (2005).
149. F. A. Mohamed, "On the Origin of Superplastic Flow at Very Low Stresses," Materials Science and Engineering A, 410, 89 (2005).
150. M. Chauhan and F. A. Mohamed, "Investigation of Low temperature Thermal Stability in Bulk Nanocrystalline Ni," Material Science and Engineering A, 427, 7 (2006).
151. M. Chauhan, I. Roy, E.J. Lavernia, and F. A. Mohamed, "Thermal Stability in Bulk Cryomilled Ultrafine Grained 5083 Al alloy," Metallurgical and Materials Transactions, A, 37A, 721 (2006).
152. Y. Xun and F.A. Mohamed, "Microstructure and Deformation in the Spay Deposited Zn-22% Al alloy," Material Science and Engineering A, 432, 261 (2006).
153. M. Chauhan, I. Roy, and F. A. Mohamed, "High Strain Rate Superplasticity in Bulk Cryomilled Ultra-fine Grained 5083Al," Metallurgical and Materials Transactions A, 37A, 2715 (2006).
154. T. Chen, F. A. Mohamed, and M. L. Mecartney, " Threshold stress Superplastic behavior and Dislocation activity in a three-Phase Alumina-Zirconia-Mullite Composite," Acta Materialia, 54, 4415 (2006).
155. F. A. Mohamed and M. Chauhan, "Interpretation of the Creep Behavior of nanocrystalline Ni in Terms of Dislocation Accommodation Boundary Sliding," Metallurgical and Materials Transactions A, 37A, 3555, 2006.
156. M. Chauhan and F. A. Mohamed, "Microstructural evolution of bulk nanocrystalline Ni during creep," J. Materials Science, 42, 1606, (2007).
157. F. A. Mohamed, "Harper-Dorn Creep: Controversy, Requirements, and Origin," Materials Science and Engineering A, 463, 177 (2007).
158. F. A. Mohamed, "Interpretation of Nanoscale Softening in terms of dislocation accommodation boundary sliding," Metallurgical and Materials Transactions A, 38A, 340 (2007).
159. F. A. Mohamed, "Correlation between the deformation of nanostructured materials and the model dislocation accommodated boundary sliding," Metallurgical and Materials Transactions A (communication), 39A, 470 (2008).

Refereed Conference Proceedings

1. F.A. Mohamed, K.L. Murty, and J.W. Morris, "Harper-Dorn Creep of Metals at High Temperatures," in Rate Processes in Plastic Deformation, ed., by J.C.M. Li and A.K. Mukherjee (American Society for Metals, Metals Park, OH, 1975), pp. 459-478.
2. F.A. Mohamed and T.G. Langdon, "The Enhancement of Creep Rates in Engineering Materials Due to Grain Boundary Processes," in Grain Boundaries in Engineering Materials, ed. by J.L. Walter, J.H. Westbrook and D.A. Woodford (Claitor's Publishing Division, Baton Rouge, Louisiana, 1975), pp. 339-352.
3. T.G. Langdon and F.A. Mohamed, "The Mechanical Characteristics of Superplastic Deformation," in Proc. IV Inter-American Conference on Materials Technology, Caracas, Venezuela (Centro Regional de Ayuda Tecnica, Mexico City, 1975), pp. 498-507.
4. F.A. Mohamed and T.G. Langdon, "The Extrapolation of Creep Data Using Deformation Mechanism Maps," Proc. Second International Conference on Mechanical Behavior of Materials, Boston, Massachusetts (1976), pp. 373-377.
5. T.G. Langdon and F.A. Mohamed, "The Characteristics of Superplasticity in Zn22%Al," Proc. Fourth International Conference on the Strength of Metals and Alloys, Nancy, France, (1976), pp. 428-432.
6. T.G. Langdon and F.A. Mohamed, "Ductility and Fracture in a Superplastic Alloy," Proc. Fourth International Conference on Fracture, Waterloo, Canada, (1977), pp. 525-531.
7. F.A. Mohamed and T.G. Langdon, "Recent Developments in Deformation Mechanism Maps for Ceramics," Ceramic Microstructures ed. by R.M. Furlath and J.A. Pask, 1976, pp. 763-773.
8. P. Koenig and F.A. Mohamed, "Effect of Strain Rate on Ductility in Zn-22% Al Above the Eutectoid Temperature," Third Cairo University Conference on Mechanical Design and Production, Cairo, Egypt (Pergamon Press, U.K., 1986) pp. 379-385.
9. K. T. Park, F.A. Mohamed and E. Lavernia, "The Stress Dependence on Creep Rate in Silicon Carbide Particulate Reinforced 6061 Aluminum," Proc. The Fourth Israel Materials Conference 19, 2741 (1988); also, Israel Journal of Technology 24, 79 (1988).
10. K.T. Park, E. Lavernia and F.A. Mohamed, "Creep Behavior of an Aluminum Lithium Alloy," Proc. of the Fifth International Aluminum-Lithium Conference (Williamsburg, VA, March 1989), pp. 1155-1162.
11. M. Gupta, F.A. Mohamed and E. Lavernia, "Spray Atomization and Deposition of an Al-Cu-Li-Zr Alloy," Proceedings of the Fifth International Aluminum-Lithium Conference (Williamsburg, VA, March (1989), pp. 75-84.
12. M. Gupta, J. Marinkovich, F.A. Mohamed and E.J. Lavernia, "Processing of Two Al-Li-X-Zr Alloys using Spray Atomization and Deposition," Proc. of the Annual Powder Metallurgy Conference and Exhibition, San Diego, (Metal Powder Industries Federation, Princeton, N.J. 1989), V. 1-3, pp. 139-160.
13. M. Gupta, F.A. Mohamed and E.J. Lavernia, "Processing of Al-Li-SiCp Materials Using Variable Co-Deposition of Multi-Phased Materials," Proc. of the International Symposium on Advances in Processin2 and Characterization of Ceramic and Metal Matrix Composites, (Ed., H. Mostaghaci, The Canadian Institute of Mining and Metallurgy, 1989), pp. 236-253.
14. M. Gupta, I.A. Ibrahim, F.A. Mohamed and E.J. Lavernia, "Wetting and Interfacial Reactions in Al-Li-SiCp MMCs During Spray Atomization and Deposition," Proc. of Symposium on Fundamental Relationships Between Microstructure and Mechanical Properties of Metal Matrix Composites, Indianapolis, Indiana, 1989 (in press).
15. T. Chanda, W.E. Frazier, F.A. Mohamed and E.J. Lavernia, "A Fundamental Study of the Microstructure of Al-Ti-SiCp Materials Using Variable Co-Deposition of Multi-phase Materials," Proc. of the International Conference on Advanced Metal and Ceramic Matrix Coml2osites,

- Anaheim, CA, (Eds., R.B. Bhagat, A.H. Clauer, P. Kumar and A.M. Ritter, TMS, 1990), pp. 47-66.
16. M. Gupta, F.A. Mohamed and E.J. Lavernia, "The Effects of Solidification Phenomena on the Distribution of Ceramic Reinforcements During Spray Atomization and Deposition," Proc. of the International Conference on Advanced Metal and Ceramic Matrix Comp, Anaheim, CA, (Eds., R.B. Bhagat, A.H. Clauer, P. Kumar and A.M. Ritter, TMS, 1990), pp. 91-106.
 17. H.K. Kim, F.A. Mohamed and J.C. Earthman, "High Temperature Rupture of 304 Stainless Steel Under Multiaxial Stresses," Proc. of the International Conference on Creep and Fracture of EnE!ineerin2 Materials, University College, Swansea, England (Eds., B. Wilshire and R.W., Evans, Institute of Metals, 1990), pp. 835-862.
 18. K.T. Park, F.A. Mohamed and J.C. Earthman, "Mechanical Behavior and Cavitation in Commercial and High Purity Zn-22% Al," Proc. of the MRS Meeting, San Francisco, CA, (Eds., M.J. Mayo, M. Kubayashi, and J. Wadsworth, 1990) pp. 45-50.
 19. I.A. Ibrahim, F.A. Mohamed and E.J. Lavernia, "Spray Atomization and Deposition Processing of 6061 Al/SiCp Metal Matrix Composites," Proc. of the International Conference on Advanced Aluminum and Magnesium Alloys, ASM International, Amsterdam, June 1990.
 20. F.A. Mohamed and J. Wolfenstine, "Harper-Dorn Creep in Materials," TMS Fall Meeting, Detroit, MI, 1990.
 21. T. Chanda, F.A. Mohamed and E.J. Lavernia, "A Fundamental Study of the Thermal Stability of Al-Ti-SiCp Materials Processed Using Spray Atomization and Deposition," Proc. of Symposium of High Temperature/Low Density PM Aluminum Alloys, TMS Fall Meeting, Detroit, MI, 1990.
 22. K.T. Park, E.J. Lavernia and F.A. Mohamed, "High Temperature Deformation of 6061-Al Produced by Powder Metallurgy," in conference proceedings, *Advanced Synthesis of Engineered Structural Materials*, American Society for Metals, J. Moore, E.J. Lavernia, and F. Froes, eds., August 30-September 2, San Francisco, CA, (1992).
 23. K.T. Park, E.J. Lavernia, and F.A. Mohamed, "A Comparison of Creep Behavior of 6061 Al and SiC-6061," in conference proceedings, *Symposium on Processing, Fabrication and Performance of Composite Materials II*, T.S. Srivatsan and E.J. Lavernia, eds., American Society of Mechanical Engineers, Winter Annual Meeting, Anaheim, CA, (1992).
 24. M. Gupta, T.S. Srivatsan, F.A. Mohamed, and E.J. Lavernia, "Influence of Spray Atomization and Co-Deposition on the Microstructure and Mechanical Properties of Al-Cu Based Metal Matrix Composites," in conference proceedings, *Symposium on Processing, Fabrication and Performance of Composite Materials II*, T.S. Srivatsan and E.J. Lavernia, eds., American Society of Mechanical Engineers, Winter Annual Meeting, Anaheim, CA, (1992).
 25. M. Gupta, F.A. Mohamed, and E.J. Lavernia, "Microstructure and Mechanical Properties of Al-Cu Based Metal Matrix Composites Using Spray Atomization and Co-Deposition," conference proceedings, 1992 TMS meeting, San Diego, CA, The Metallurgical Society, Warrendale, PA, (1992).
 26. I. Ahmed, F.A. Mohamed and J.C. Earthman, "High Temperature Rupture in Particulate Reinforced Nickel Under Multiaxial Stresses," Proc. of the fifth International Conference on Creep and Fracture of Enzineerin2 Materials and Structures, University College, Swansea, England (Eds., B. Wilshire and R.W., Evans, Institute of Metals, 1993), pp. 149-158.
 27. F.A. Mohamed, "Interpretation of Creep Behavior in Terms of Modified Power Law Creep," the proceedings of The Johannes Weertman Symposium, edited by R. J. Arsenault, TMS. 81 (1996).
 28. Y. Li, E.J. Lavernia, and F.A. Mohamed, "High-Temperature Deformation in a Ta-W alloy," Proceedings of a Symposium on Tantalum, Anaheim CA, eds. E. Chen *et al.* Warredale, PA, 335 (1996).

29. A. Yousefiani and F. A. Mohamed, "Superplastic Flow in Zn-22% Al Doped with Cu," Proceedings of the Seventh International Conference, The University of California, Irvine, eds. J.C Earthman and F. A. Mohamed, TMS, 183 (1997).
30. A. Yousefiani, A. A. El-Naser, F. A. Mohamed and J. C. Earthman, "high-Temperature Deformation and Rupture of 7075 Al Under Multi-axial Stress States," Proceedings of the Seventh International Conference, The University of California, Irvine, eds. J.C Earthman and F. A. Mohamed, TMS, 439 (1997).
31. F. A. Mohamed, "Effect of Threshold Stress Processes on Creep Behavior," a **Keynote paper**, Proceedings of Modeling the Mechanical Response of Structural Materials, eds. E. M. Taleff and R. K. Mahidhara, TMS, 125 (1998).
32. F. A. Mohamed, "Creep in Powder metallurgy SiC-Al Composites and their Matrices," An International Conference on Composite materials, Cairo Egypt, 251, (1998).
33. F. A. Mohamed, "Impurity Segregation During Superplastic Flow," Proceedings of Deformation, Processing, and Properties of Structural Materials, eds. E. M. Taleff, C. K. Syn, and D. R. Lesure, TMS, 363, 2000.
34. F. A. Mohamed, "Creep and Strengthening in Powder Metallurgy SiC-Al Composite," a **keynote paper**, Proceedings of Creep Behavior of Advanced Materials for the 21st Century, eds. R. S. Mishra, A. K. Mukherjee, and K. L. Murty, C. K., TMS, 83, 1999.
35. F. A. Mohamed, "Creep in Powder metallurgy SiC-Al Composites and their Matrices," Proceedings of An International Conference on Composite materials, Indianapolis, IN, 251, 2001.
36. F. A. Mohamed, "Creep Behavior at Low Stresses," Proceedings of Creep Deformation: Fundamental and Applications Deformation, eds. R. Mishra, J. C. Earthman, and S. Raj, TMS, 71, 2002.
37. B. Q. Han, E. J. Lavernia, F. A. Mohamed, D. Matejczk, and C. Bampton, Creep Behavior in a Cryomilled Near-Nanostructured Al-7.5% Mg,' Proceedings of the six International Conference on Nanostructured Materials, Orlando, Florida, 2002.
38. B.Q. Han, W.A. Chiou, E.J. Lavernia, and F.A. Mohamed, "Evolution of Microstructure and Deformation Behavior of pure Iron by Severe Plastic Deformation," Proceedings of The Mike Meshii Symposium on Electron Microscopy: Its Role in Materials Science, San Diego, California, 2003.
39. B.Q. Han, W.A. Chiou, and F.A. Mohamed, "Dislocation Activity during Superplastic Flow in the Zn-22% Al Alloy," Proceedings of The Mike Meshii Symposium on Electron Microscopy: Its Role in Materials Science, San Diego, California, 2003.
40. F.A. Mohamed, "Correlations between High-Temperature Deformation and Microstructure," Proceedings of The Mike Meshii Symposium on Electron Microscopy: Its Role in Materials Science, San Diego, California, 2003.
41. F.A. Mohamed, "Creep and Superplasticity in Al Alloy," Proceedings of The TMS Annual Meeting on Hot Deformation of Aluminum Alloys III, San Diego, California, 2003.
42. B.Q. Han, A. Verma, F.A. Mohamed and E.J. Lavernia, "High-Temperature Mechanical Performance of a Cryomilled Al-MG-SC Alloy," Proceedings of The TMS Annual Meeting on Hot Deformation of Aluminum Alloys III, San Diego, California, 2003.

43. Y. Xun and F.A. Mohamed, "Processing of Zn-22%Al/Sic Composite by Spray Atomization and Deposition," Proceedings of The 14th International Conference on Composite Materials, San Diego, California, 2003.
44. Y. Xun, R. Rodriguez, E.J. Lavernia and F.A. Mohamed, "Microstructure Evolution of Nanocrystalline Zn-22%Al Eutectoid Alloy Produced by Cryogenic Ball Milling," Proceedings of The International Conference on Power Metallurgy & Particulate Materials, Las Vegas, Nevada, 2003.
45. B.Q. Han, E.J. Lavernia and F.A. Mohamed, High-temperature Behavior of Nanostructured Al-7.5%Mg-0.3%Sc Alloys, **International Symposium on Superplasticity and Superplastic Forming**, Edited by D.G. Sanders, et al., Proceedings of 2002 ASM Materials Solutions Conference and Exposition, in Columbus, OH, Oct. 7-10, 2002.
46. B.Q. Han, Z. Zhang, D. Matejczyk, F. Zhou, C.C. Bampton, F.A. Mohamed, and E.J. Lavernia, Deformation Behavior of a Cryomilled Nanostructured Al-7.5%Mg Alloy, **Materials Processing and Manufacturing Division 5th Global Innovations Symposium: Surface and Interfaces in Nanostructured Materials and Trends in LIGA, Miniaturization, and Nanoscale Materials**, Edited by J.E. Smugeresky and S.M. Mukhopadhyay. TMS (The Minerals, Metals & Materials Society), 2004, pp. 331-340.
47. B.Q. Han, F.A. Mohamed and E.J. Lavernia, Deformation Behavior of Ultrafine-grained Iron Processed by Equal-Channel-Angular Pressing, **Ultrafine Grained Materials III**, Edited by Y.T. Zhu, T.G. Langdon, R.Z. Valiev, S.L. Semiatin, D.H. Shin, and T.C. Lowe. TMS (The Minerals, Metals & Materials Society), 2004, pp. 413-20.
48. B.Q. Han, E.J. Lavernia and F.A. Mohamed, Deformation Behavior of Ultrafine-grained Aluminum Alloys Processed by Cryomilling Techniques, **Ultrafine Grained Materials III**, Edited by Y.T. Zhu, T.G. Langdon, R.Z. Valiev, S.L. Semiatin, D.H. Shin, and T.C. Lowe. TMS (The Minerals, Metals & Materials Society), 2004, pp. 489-96.

Books

Proceedings of the Seventh International Conference on, "*Creep and Fracture of Engineering Materials and Structures*," Eds. J.C Earthman and F. A. Mohamed, A publication of TMS, 1997.